NANUK[™] | extreme duty cases

RUGGED. WATERPROOF. GUARANTEED FOR LIFE.

NANUK[™] protective cases are the result of years of testing both in the lab and on the field and offer unrivaled protection in a variety of sizes, configurations and colors, with its patented PowerClaw latching system and NK-7 resin outer shell, NANUK[™] is built for nature's most unforgiving conditions.

Rugged, waterproof and guaranteed for life, all NANUK[™] cases are designed to withstand the smallest tumbles to the biggest shocks and everything in between. When it needs to get there in one piece, it needs to go in a NANUK[™].

NANUK[™] features

- 1. Powerclaw latching system
- 2. Waterproof IP67 rated
- 3. Impact Resistant NK-7 resin
- 4. Padlockable
- 5. Shoulder strap attachment
- 6. Stackable
- 7. Integrated bezel system
- 8. Soft grip foldable handle
- 9. Integrated lid stay
- 10. Stainless steel hardware





Impact resistant NK-7 resin

NANUK[™] was designed with one objective in mind: survival. With rounded corners, thick wall construction and oversized details, NANUK[™] is built to absorb the shocks without compromising the case or more importantly your contents.

Based on Plasticase's years of experience in the plastics industry, our new NK-7 resin was developed specifically for the demanding conditions that NANUK[™] will be exposed to. Highly impact resistant, light, and rugged, our NK-7 resin can withstand nature's extremes.

Certifications

NANUK[™] is tough and durable, but don't just take our word for it. NANUK[™] cases were tested by an independent testing laboratory for compliance with the following standards:

ATA Specification 300 Category 1 Impact ASTM D-4169 DC-18 Drop - Vibration - Rainfall MIL-STD-810F Immersion IP67 Ingress protection

NANUK[™] cases tested were awarded certification after successfully completing the tests. Visit **nanuk.com** to find out more.





NANUKNANO®

The NANUK NANO[®] is the perfect protective case for your smaller valuable items. This lightweight impact resistant case series is sure to keep its contents safe and dry with the patented PowerClaw latching system and water resistant design (IP65^{*}).

BIG PROTECTION IN A COMPACT SIZE

	310	320	330	
PowerClaw Latching System	•	•	•	
Protective Web	•	•	•	
Smart Strap	•	•	•	
Water Resistance (IP65)	•	•	•	
Impact Resistance	•	•	•	
Attachment Points	•	•	•	
Rubberized Interior	•	•	•	



310



L131mm × W77mm × H28mm **Exterior dimensions** L5.9" × W4.3" × H1.7" L149mm × W110mm × H43mm

Weight 0.6 lb | 0.3 kg

Interior dimensions

L5.2" × W3.0" × H1.1"



Interior dimensions L5.9" × W3.3" × H1.5" L151mm × W85mm × H39mm

Exterior dimensions L6.3" × W4.7" × H2.2" L161mm × W118mm × H55mm

Weight 0.8 lb | 0.4kg

320



330



Interior dimensions L6.7" × W3.8" × H1.9" L170mm × W96mm × H49mm

Exterior dimensions L7.4" × W5.1" × H2.6" L188mm × W130mm × H65mm

Weight 0.8 lb | 0.4 kg



NANUK[™] | small cases

BUILT TO WITHSTAND THE ELEMENTS

	903	904	905	908
Desiccant Container	•	•	•	•
Nanuk TSA Padlock	•	•	•	•
Nanuk Shoulder Strap			•	•
TSA PowerClaw Latch Ret. Kit			•	•
Panel Mount Kits				
Cubed Foam Insert	•	•	•	•
Plain Foam Insert				
Padded Divider	•	•	•	•
Lid Organizer				
Top Aluminium Panel Kit				•
Bottom Aluminium Panel Kit	•	•	•	•
Top Poly. Panel Kit				•
Bottom Poly. Panel Kit	•	•	•	•
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



903

L7.4" × W4.9" × H3.1" L188mm × W124mm × H79mm **Exterior dimensions**

L9.1" × W6.8" × H3.8" L231mm × W173mm × H97mm

Weight 1.3 lb | 0.6 kg

Interior dimensions



905



Interior dimensions L9.4" × W7.4" × H5.5" L239mm × W188mm × H140mm

Exterior dimensions L12.5" × W10.1" × H6.0" L318mm × W257mm × H152mm

Weight 3.3 lb | 1.5 kg



904

	_	_

908

 $\label{eq:linearized_linearized$

Exterior dimensions L10.2" × W7.9" × H4.5" L259mm × W201mm × H114mm

Weight 1.6 lb | 0.7 kg



Interior dimensions L9.5" × W7.5" × H7.5" L241mm × W190mm × H190mm

Exterior dimensions L12.5" × W9.8" × H8.0" L318mm × W249mm × H203mm

Weight 3.6 lb | 1.36 kg



	909		
Desiccant Container	•		
Nanuk TSA Padlock	•		
Nanuk Shoulder Strap	•		
TSA PowerClaw Latch Ret. Kit			
Panel Mount Kits			
Cubed Foam Insert	•		
Plain Foam Insert			
Padded Divider			
Lid Organizer			
Top Aluminium Panel Kit			
Bottom Aluminium Panel Kit	•		
Top Poly. Panel Kit			
Bottom Poly. Panel Kit	•		
TSA Latch			
2-Stage Retractable Handle			
Polycarbonate Wheels			



909



L11.44" × W7.0" × H3.68" L291mm × W178mm × H93mm Exterior dimensions

L12.64" × W9.0" × H4.38" L321mm × W229mm × H111mm

Weight 2.16 lb | 0.98 kg

Interior dimensions



NANUK^{*} | medium cases

THE CHOICE OF PROFESSIONALS

Certifications ATA 300 / ASTM D4169 / Mil-std-810f / IP67 Rating All NANUK[™] cases are airline approved. Please check with your airline for carry-on and checked baggage size restrictions. S Px +

NANUK

	910	915	918	920
Desiccant Container	•	•	•	•
Nanuk TSA Padlock	•	•	•	•
Nanuk Shoulder Strap	•	•	•	•
TSA PowerClaw Latch Ret. Kit		•	•	•
Panel Mount Kits				
Cubed Foam Insert	•	•	•	•
Plain Foam Insert				
Padded Divider	•	•	•	•
Lid Organizer				•
Top Aluminium Panel Kit	•		•	
Bottom Aluminium Panel Kit	•	•	•	•
Top Poly. Panel Kit	•		•	
Bottom Poly. Panel Kit	•	•	•	•
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



910

L13.2" × W9.2" × H4.1" L336mm × W234mm × H104mm Exterior dimensions

L14.3" × W11.1" × H4.7" L363mm × W282mm × H120mm

Weight 3.0 lb | 1.4 kg

Interior dimensions



Interior dimensions L13.8" × W9.3" × H6.2" L351mm × W236mm × H157mm

Exterior dimensions L15.4" × W12.1" × H6.8" L391mm × W307mm × H173mm

Weight 4.4 lb | 2.0 kg



23

L14.9" × W9.8" × H8.6" L378mm × W249mm × H218mm Exterior dimensions

L16.9" × W12.9" × H9.3" L429mm × W328mm × H236mm

Weight 6.4 lb | 2.9 kg

Interior dimensions

920

915

Interior dimensions L15.0" × W10.5" × H6.2" L381mm × W267mm × H157mm

Exterior dimensions L16.7" × W13.4" × H6.8" L424mm × W340mm × H173mm

Weight 5.1 lb | 2.3 kg







	923		
Desiccant Container	•		
Nanuk TSA Padlock	•		
Nanuk Shoulder Strap	•		
TSA PowerClaw Latch Ret. Kit	•		
Panel Mount Kits			
Cubed Foam Insert	•		
Plain Foam Insert			
Padded Divider	•		
Lid Organizer			
Top Aluminium Panel Kit	•		
Bottom Aluminium Panel Kit	•		
Top Poly. Panel Kit	•		
Bottom Poly. Panel Kit	•		
TSA Latch	•		
2-Stage Retractable Handle			
Polycarbonate Wheels			



923

Interior dimensions L16.6" × W11.3" × H5.4" L422mm × W287mm × H137mm

Exterior dimensions L18.6" × W14.4" × H6.3" L472mm × W366mm × H161mm

Weight 6.1 lb | 2.7 kg







Interior dimensions L16.6" × W11.3" × H5.4" L422mm × W287mm × H137mm

Exterior dimensions L18.6" × W14.4" × H6.3" L472mm × W366mm × H161mm

Weight 5.9 lbs | 2.7 kg



Interior dimensions L16.6" × W11.3" × H5.4" L422mm × W287mm × H137mm

Exterior dimensions L18.6" × W14.4" × H6.3" L472mm × W366mm × H161mm

Weight 6.1 lb | 2.7 kg

WITH TSA

LOCKS



NANUK

NANUK | large cases

EMERGENCY READY

A P

N T N

E

	925	930	933	940
Desiccant Container	•	•	•	•
Nanuk TSA Padlock	•	•	•	•
Nanuk Shoulder Strap	•	•	•	•
TSA PowerClaw Latch Ret. Kit	•	•	•	•
Panel Mount Kits				
Cubed Foam Insert	•	•	•	•
Plain Foam Insert				
Padded Divider	•	•	•	•
Lid Organizer	•	•	•	
Top Aluminium Panel Kit			•	
Bottom Aluminium Panel Kit	•	•	•	•
Top Poly. Panel Kit			•	
Bottom Poly. Panel Kit	•	•	•	•
TSA Latch				
2-Stage Retractable Handle				
Polycarbonate Wheels				



925

L432mm × W300mm × H163mm **Exterior dimensions** L18.7" × W14.8" × H7.0" L475mm × W376mm × H178mm

Weight 6.2 lb | 2.8 kg

Interior dimensions

L17.0" × W11.8" × H6.4"



933



Interior dimensions L18.0" × W13.0" × H9.5" L457mm × W330mm × H241mm

Exterior dimensions L19.9" × W16.1" × H10.1" L505mm × W409mm × H257mm

Weight 8.0 lb | 3.6 kg



Interior dimensions L18.0" × W13.0" × H6.9" L457mm × W330mm × H175mm

Exterior dimensions L19.8" × W16.0" × H7.6" L503mm × W406mm × H193mm

Weight 7.1 lb | 3.2 kg

930

940



Interior dimensions L20.0" × W14.0" × H8.0" L508mm × W356mm × H203mm

Exterior dimensions L21.7" × W16.9" × H8.5" L557mm × W429mm × H216mm

Weight 8.4 lb | 3.8 kg



	945		
Desiccant Container	•		
Nanuk TSA Padlock	•		
Nanuk Shoulder Strap	•		
TSA PowerClaw Latch Ret. Kit	•		
Panel Mount Kits			
Cubed Foam Insert	•		
Plain Foam Insert			
Padded Divider	•		
Lid Organizer	•		
Top Aluminium Panel Kit			
Bottom Aluminium Panel Kit	•		
Top Poly. Panel Kit			
Bottom Poly. Panel Kit	•		
TSA Latch			
2-Stage Retractable Handle			
Polycarbonate Wheels			





Interior dimensions L22.0" × W17.0" × H8.2" L559mm × W432mm × H208mm

Exterior dimensions L25.1" × W19.9" × H8.8" L638mm × W505mm × H224mm

Weight 10.6 lb | 4.8 kg



NANUK[®] wheeled cases

P

DESIGNED TO GO PLACES

KANUK I

	935	938	
Desiccant Container	•	•	
Nanuk TSA Padlock	•	•	
Nanuk Shoulder Strap	•		
TSA PowerClaw Latch Ret. Kit	•	•	
Panel Mount Kits			
Cubed Foam Insert	•	•	
Plain Foam Insert			
Padded Divider	•	•	
Lid Organizer	•	•	
Top Aluminium Panel Kit			
Bottom Aluminium Panel Kit	•	•	
Top Poly. Panel Kit			
Bottom Poly. Panel Kit	•	•	
TSA Latch			
2-Stage Retractable Handle	•	•	
Polycarbonate Wheels	•	•	



935



L521mm × W287mm × H191mm **Exterior dimensions** L22.0" × W14.0" × H9.0" L559mm × W356mm × H229mm

Weight 11.6 lb | 5.2 kg

Interior dimensions

L20.5" × W11.3" × H7.5"



938



Interior dimensions L21.5" × W12.5" × H11.6" L546mm × W318mm × H294mm

Exterior dimensions L23.8" × W15.5" × H13.2" L605mm × W394mm × H336mm

Weight 14.55 lb | 6.35 kg



935 3-Wine



938

6-Wine

Bottle Case

Interior dimensions L20.5" × W11.3" × H7.5" L521mm × W287mm × H191mm

Exterior dimensions L22.0" × W14.0" × H9.0" L559mm × W356mm × H229mm

Weight 12.6 lbs | 5.72 kg



Interior dimensions L21.5" × W12.5" × H11.6" L546mm × W318mm × H294mm

Exterior dimensions L23.8" × W15.5" × H13.2" L605mm × W394mm × H336mm

Weight 17.75 lbs | 8.05 kg



	950	955	960	963
Desiccant Container	•	•	•	•
Nanuk TSA Padlock	•	•	•	•
Nanuk Shoulder Strap				
TSA PowerClaw Latch Ret. Kit	•	•	•	•
Panel Mount Kits				•
Cubed Foam Insert	•	•	•	•
Plain Foam Insert				
Padded Divider	•	•	•	•
Lid Organizer		•	•	
Top Aluminium Panel Kit	•	•	•	
Bottom Aluminium Panel Kit	•	•	•	
Top Poly. Panel Kit	•	•	•	
Bottom Poly. Panel Kit	•	•	•	
TSA Latch				
2-Stage Retractable Handle	•	•	•	•
Polycarbonate Wheels	•	•	•	•







L521mm × W389mm × H257mm Exterior dimensions L22.8" × W18.3" × H11.7" L579mm × W465mm × H297mm

Weight 15.1 lb | 6.8 kg

Interior dimensions

L20.5" × W15.3" × H10.1"



NEW 955

NEW 963 Interior dimensions L22.0" × W17.0" × H10.2" L559mm × W432mm × H259mm

Exterior dimensions L25.6" × W20.0" × H11.8" L650mm × W508mm × H300mm

Weight 18.40 lb | 8.16 kg



960



Interior dimensions L22.0" × W17.0" × H12.9" L559mm × W432mm × H328mm

Exterior dimensions L25.4" × W20.0" × H14.5" L645mm × W508mm × H368mm

Weight 19.2 lb | 8.7 kg



Interior dimensions L29.0" × W18.0" × H10.6" L737mm × W457mm × H269mm

Exterior dimensions L32.5" × W21.0" × H12.3" L826mm × W533mm × H312mm

Weight 22.50 lb | 10.2 kg



	965	968	970	975
Desiccant Container	•	•	•	•
Nanuk TSA Padlock	•	•	•	•
Nanuk Shoulder Strap				
TSA PowerClaw Latch Ret. Kit	•	•	•	•
Panel Mount Kits	•	•	•	•
Cubed Foam Insert	•	•	•	•
Plain Foam Insert				
Padded Divider	•	•	•	•
Lid Organizer				
Top Aluminium Panel Kit				
Bottom Aluminium Panel Kit				
Top Poly. Panel Kit				
Bottom Poly. Panel Kit				
TSA Latch				
2-Stage Retractable Handle	•	•	•	•
Polycarbonate Wheels	•	•	•	•





Interior dimensions L29.0" × W18.0" × H14.0" L737mm × W457mm × H356mm

Exterior dimensions L32.5" × W21.1" × H16.0" L826mm × W536mm × H406mm

Weight 25.05 lb | 11.36 kg





Exterior dimensions L27.5" × W27.2" × H16.0" L699mm × W691mm × H406mm

Weight 26.3 lb | 11.92 kg



Interior dimensions L21.5" × W21.5" × H11.8" L546mm × W546mm × H300mm

Exterior dimensions L25.0" × W24.7" × H13.6" L635mm × W627mm × H345mm

Weight 21.5 lb | 9.76 kg



Interior dimensions L30.0" × W21.0" × H18.0" L762mm × W533mm × H457mm

Exterior dimensions L33.5" × W24.3" × H19.7" L851mm × W617mm × H500mm

Weight TBD





NANUK^{*} | long cases

BUILT FOR THE PURSUIT

0

NANUK

	985	990	995	
Desiccant Container	•	•	•	
Nanuk TSA Padlock	•	•	•	
Nanuk Shoulder Strap				
TSA PowerClaw Latch Ret. Kit	•	•	•	
Panel Mount Kits				
Cubed Foam Insert				
Plain Foam Insert	•	•	•	
Padded Divider				
Lid Organizer				
Top Aluminium Panel Kit				
Bottom Aluminium Panel Kit				
Top Poly. Panel Kit				
Bottom Poly. Panel Kit				
TSA Latch	•	•	•	
2-Stage Retractable Handle	•	•	•	
Polycarbonate Wheels	•	•	•	



985

Interior dimensions L36.63" × W14.5" × H6.0" L930mm × W368mm × H152mm

Exterior dimensions L39.75" × W17.31" × H6.63" L1010mm × W440mm × H168mm

Weight 15.8 lb | 7.2 kg



Interior dimensions L44.0" × W14.5" × H6.0" L1118mm × W368mm × H152mm

Exterior dimensions L47.1" x W17.3" x H6.6" L1196 mm x W440 mm x H168 mm

Weight 17.8 lb | 8.1 kg

990



995

Interior dimensions L52.0" × W14.5" × H6.0" L1321 mm x W368 mm x H152 mm

Exterior dimensions L55.1" x W17.3" x H6.6" L1399 mm x W440 mm x H168 mm

Weight 21.6 lb | 9.8 kg

CASE ACCESSORIES

CAN CANADA







Cubed foam

Made of high quality polyurethane foam, the multi-layered set of customizable inserts includes a pre-scored removable layer. This layer consists of foam squares that can be removed in various configurations to accommodate the contents of the case. This solution is ideal if you are seeking a quick and easy way to protect and organize your items.

Desiccant containers

Nanuk Reusable Desiccating Containers protect all types of items from deterioration, rust, corrosion, mold, mildew, and other damages caused by moisture or high humidity. Simply place a Desiccating Container together with the item that is to be protected in a tightly closed or sealed moisture resistant container. Desiccating Container will rapidly and actively remove moisture and maintain dryness of the surrounding air to protect against moisture damage. It will absorb up to 34% of its own weight in water vapor.

Shoulder strap

Our neoprene shoulder strap incorporates Aircell™ comfort technology to reduce fatigue when transporting your case. The shoulder strap can easily be attached to most NANUK™ cases without any additional hardware.

*Compatible with NANUK™ 905 – 945 cases.







TSA PowerClaw latch retrofit kit

We found a way to make our patented PowerClaw latches even better! They are now available with an integrated TSA accepted key lock. The easy to install retrofit kit can be installed on many* NANUK cases and adds another layer of security to your case. Each lock has a special code TSA001 to TSA003, which is used by the TSA, CATSA and other security agencies to know which secure tool to use to open the lock. TSA accepted latches are the perfect accessory for storing, securing and protecting valuable items at home, on the job site and in your vehicle.

*Compatible with the following NANUK cases: 908 | 918 | 920 | 925 | 933 | 935 | 940 | 945 | 950 | 960

Padded dividers

If you require compartmentalized protective organization of your components or equipment, our padded dividers are the right choice. Easily tailored to your needs with repositionable tongue and groove fasteners, our padded dividers are designed to easily organize and protect your equipment.

*Available for NANUK™ 905 – 960 cases.

Lid Organizer

The NANUK Lid Organizer is the ideal organization and convenience accessory to add to your case. The molded interior is designed to help keep your hardware, power cords and accessories entirely organized and in-view. The lid organizer includes a set of mounting screws for easy, stress-free installation. Features include three zippered and anti-tear compartments of various sizes for lots of gear storage.





TSA padlock

TSA padlocks offer the security of a padlock but can easily be opened and inspected by airport security and then locked again. A visual indicator lets you know when the case has been opened with a TSA key.

*Compatible with NANUK™ 903 – 995 cases.

Waterproof panel kit Aluminium/Lexan

A panel kit can easily be added to most of our NANUK™ cases thanks to an integrated panel mount system. Included in our panel kit is a contoured panel with mounting screws and an adhesive backed die-cut gasket. A lid mounted panel kit is available for the 908, 909, 910, 918, 923, 933, 935, 950 and 960 cases. The lid mounted panel kit does not contain a gasket.


*Available for NANUK[™] 903 – 960 cases.

Custom colors

NANUK[™] protective cases are available in up to 10 colors. Color options range from emergency orange to olive drab allowing you to blend in or stand out, whatever the task entails. If your application requires a custom color to match your logo or brand, our design team can develop the exact color you need based on a color swatch or sample. We know how important it is for your brand to stand out. A NANUK[™] case in a custom color may be the perfect solution.

*Minimum quantities required.





Gérard BOURIEL - gbouriel@nanuk.fr - Tel: mobile: 06 07 61 23 44 - fixe: 01 77 69 57 01 -



Plasticase inc.

1059 Boulevard des Entreprises Ouest Terrebonne, Québec, Canada J6Y 1V2

T. 450 628 1006 | 1.800.783.6883 F. 450 628 7801 | 1.888.783.6883 E. info@plasticase.com

NANUK EU B.V.

Burg.J.G.Legroweg 96 9761TD, Elde Netherlands

T. +31 (0) 503 128 694 E. info@nanukcase.eu





NANUK CATALOG | JANUARY © 2021 Plasticase Inc. #21-02EN